

Supplementary material

Characteristics of included studies

The characteristics of studies included in the review are detailed in appendices one and two. Note that these references are included in the list below along with studies that were rejected upon reading at full text (reasons for rejection were not recorded).

References retrieved from electronic searching assessed at full text

- [Anon] (1996). "Conserving salmon stocks." *Agro Food Industry Hi-Tech* 7(3): 45-45.
- [Anon] (2000). "Mature salmon stocked in Maine." *Fisheries* 25(12): 42-42.
- Adams, S. B., C. A. Frissell, et al. (2001). "Geography of invasion in mountain streams: consequences of headwater lake fish introductions." *Ecosystems* (New York, N.Y.) 4(4): 296-307.
- Aksiray, F. (1979). "Experimental Stocking of Lake Izmir (Turkey) with Coregonidae (Salmonidae)." *Bamidgeh* 31(1): 9-13.
- Altukhov, Y. P. and E. A. Salmenkova (1990). "Introductions of Distinct Stocks of Chum Salmon, *Oncorhynchus-Keta* (Walbaum), into Natural-Populations of the Species." *Journal of Fish Biology* 37: 25-33.
- Anon. (1993). *Sea Trout Working Group Report 1992 : report to the Minister for the Marine of the Group's evaluation of the 1992 Research Programme results, scientific conclusions derived and recommendations on future action to halt the decline in sea trout stocks and enhance such stocks - Sea Trout working group, Abbotstown : Fisheries Research Centre.*
- Aprahamian, M. W., K. M. Smith, et al. (2003). "Restocking of salmonids - opportunities and limitations." *Fisheries Research* 62(2): 211-227.
- Armstrong, T. W. and R. A. Knapp (2004). "Response by trout populations in alpine lakes to an experimental halt to stocking." *Canadian Journal of Fisheries and Aquatic Sciences* 61(11): 2025-2037.
- Auvinen, H., I. Kolari, et al. (2004). "Mortality of 0+vendace (*Coregonus albula*) caused by predation and trawling." *Annales Zoologici Fennici* 41(1): 339-350.
- Bahls, P. (1992). "The Status of Fish Populations and Management of High Mountain Lakes in the Western United-States." *Northwest Science* 66(3): 183-193.
- Beardmore, J. A., G. C. Mair, et al. (1997). "Biodiversity in aquatic systems in relation to aquaculture." *Aquaculture Research* 28(10): 829-839.
- Bohlin, T., L. F. Sundstrom, et al. (2002). "Density-dependent growth in brown trout: effects of introducing wild and hatchery fish." *Journal of Animal Ecology* 71(4): 683-692.
- Bonar, S. A., B. D. Bolding, et al. (2005). "Effects of introduced fishes on wild juvenile coho salmon in three shallow Pacific Northwest lakes." *Transactions of the American Fisheries Society* 134(3): 641-652.
- Bradford, D. F., F. Tabatabai, et al. (1993). "Isolation of Remaining Populations of the Native Frog, *Rana muscosa*, by Introduced Fishes in Sequoia and Kings Canyon National Parks, California." *Conservation Biology* 7(4): 882-888.

- Brown, G. E., J. A. Brown, et al. (1992). "The Effect of Stocking Density on the Behavior of Arctic Charr (*Salvelinus-Alpinus* L)." *Journal of Fish Biology* 41(6): 955-963.
- Carlisle, D., M (1995). The effects of exotic trout on invertebrate assemblages of Uinta Mountain Lakes (Utah), UTAH STATE UNIVERSITY: 183.
- Carlisle, D. M. and C. P. Hawkins (1998). "Relationships between invertebrate assemblage structure, 2 trout species, and habitat structure in Utah mountain lakes." *Journal of the North American Benthological Society* 17(3): 286-300.
- Cartwright, M. A., D. A. Beauchamp, et al. (1998). "Quantifying cutthroat trout (*Oncorhynchus clarki*) predation on sockeye salmon (*Oncorhynchus nerka*) fry using a bioenergetics approach." *Canadian Journal of Fisheries and Aquatic Sciences* 55(5): 1285-1295.
- Caudill, C. C. (2005). "Trout predators and demographic sources and sinks in a mayfly metapopulation." *Ecology* 86(4): 935-946.
- Chaine, E. and F. G. Whoriskey (1992). "Ecology of feral rainbow trout that escaped from a cage culture site in Lac du Passage, Canada." *Aquaculture* 100(1-3): 169-170.
- Chamberlain, C. B. and W. A. Hubert (1996). "Factors affecting brook trout populations in lakes and reservoirs in Wyoming." *Journal of Freshwater Ecology* 11(3): 301-309.
- Chandra, S. (2003). The impact of nonnative species and cultural eutrophication on the Lake Tahoe food web over time, UNIVERSITY OF CALIFORNIA: 92.
- Christiansen, J. S., Y. S. Svendsen, et al. (1992). "The Combined Effects of Stocking Density and Sustained Exercise on the Behavior, Food-Intake, and Growth of Juvenile Arctic Charr (*Salvelinus-Alpinus* L)." *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 70(1): 115-122.
- Clarke, L. R. (2003). Predators, competitors, and prey: Trophic-level interactions affecting kokanee in Pend Oreille Lake, Idaho, UNIVERSITY OF IDAHO: 128.
- Cowx, I. G. (1997). "Introduction of fish species into European fresh waters: Economic successes or ecological disasters?" *Bulletin Francais De La Peche Et De La Pisciculture*(344-45): 57-77.
- Cresswell, R. C. (1989). "Conservation and Management of Brown Trout, *Salmo-Trutta*, Stocks in Wales by the Welsh Water Authority." *Freshwater Biology* 21(1): 111-123.
- Crisp, D. T. (2000). Trout and salmon : ecology, conservation and rehabilitation. Oxford, Oxford : Fishing News Books.
- Crivelli, A., G. Poizat, et al. (2000). "Conservation biology applied to fish: The example of a project for rehabilitating the marble trout (*Salmo marmoratus*) in Slovenia." *Cybiurn* 24(3): 211-230.
- Crivelli, A. J. (1995). "Are fish introductions a threat to endemic freshwater fishes in the northern Mediterranean region?" *Biological Conservation* 72(2): 311-319.
- Dahlhansen, G. A. P. (1995). "Long-Term Changes in Crustacean Zooplankton - the Effects of a Mass Removal of Arctic Charr, *Salvelinus-Alpinus* (L), from an Oligotrophic Lake." *Journal of Plankton Research* 17(9): 1819-1833.
- Dahlhansen, G. A. P., S. H. Rubach, et al. (1994). "Selective Predation by Pelagic Arctic Char on Crustacean Plankton in Takvatn, Northern Norway, before and after Mass Removal of Arctic Char." *Transactions of the American Fisheries Society* 123(3): 385-394.
- de Jong, M. C. V., R. J. Gibson, et al. (2004). "Impacts of stocking and introductions on freshwater fisheries of Newfoundland and Labrador, Canada." *Fisheries Management and Ecology* 11(3-4): 183-193.

- Dey, T. (1984). Study of plankton in relation to cage and pond culture of trout in Scotland F1c 35-8494. Stirling, Stirling.
- Divens, M., S. A. Bonar, et al. (2000). Trout stocking in high lakes : reported impacts and implications for Washington State / Publisher: [Olympia, Wash.] :, Washington Dept. of Fish and Wildlife, Fish Program, Fish Management Division, Inland Fish Investigations.
- Domingue, R. (2003). "Wilderness trout stocking." *Fisheries* 28(9): 38-38.
- Donald, D. B. and R. S. Anderson (1982). "Importance of Environment and Stocking Density for Growth of Rainbow-Trout in Mountain Lakes." *Transactions of the American Fisheries Society* 111(6): 675-680.
- Donald, D. B., R. D. Vinebrooke, et al. (2001). "Recovery of zooplankton assemblages in mountain lakes from the effects of introduced sport fish." *Canadian Journal of Fisheries and Aquatic Sciences* 58(9): 1822-1830.
- Drake, D. C. and R. J. Naiman (2000). "An evaluation of restoration efforts in fishless lakes stocked with exotic trout." *Conservation Biology* 14(6): 1807-1820.
- Dunham, J. B., S. B. Adams, et al. (2002). "Alien invasions in aquatic ecosystems: Toward an understanding of brook trout invasions and potential impacts on inland cutthroat trout in western North America." *Reviews in Fish Biology and Fisheries* 12(4): 373-391.
- Elser, J. J., C. Luecke, et al. (1995). "Effects of Food-Web Compensation after Manipulation of Rainbow-Trout in an Oligotrophic Lake." *Ecology* 76(1): 52-69.
- Elvira, B. and A. Almodovar (2001). "Freshwater fish introductions in Spain: facts and figures at the beginning of the 21st century." *Journal of Fish Biology* 59: 323-331.
- Finlayson, B., W. Somer, et al. (2005). "National Forest Trout Management - The authors reply." *Fisheries* 30(9): 39-40.
- Finlayson, B., W. Somer, et al. (2005). "Native inland trout restoration on national forests in the western United States: Time for improvement?" *Fisheries Management and Ecology* 30(5): 10-19.
- Garman, G. C. and L. A. Nielsen (1982). "Piscivory by Stocked Brown Trout (*Salmo-Trutta*) and Its Impact on the Non-Game Fish Community of Bottom Creek, Virginia." *Canadian Journal of Fisheries and Aquatic Sciences* 39(6): 862-869.
- Gee, J. H. R., B. D. Smith, et al. (1997). "The ecological basis of freshwater pond management for biodiversity." *Aquatic Conservation-Marine and Freshwater Ecosystems* 7(2): 91-104.
- Giles, N. (1989). "Assessing the Status of British Wild Brown Trout, *Salmo-Trutta*, Stocks - a Pilot-Study Utilizing Data from Game Fisheries." *Freshwater Biology* 21(1): 125-133.
- Gliwicz, Z. M. and M. J. Boavida (1996). "Clutch size and body size at first reproduction in *Daphnia pulex* at different levels of food and predation." *Journal of Plankton Research* 18(6): 863-880.
- Gliwicz, Z. M. and M. G. Rowan (1984). "Survival of *Cyclops abyssorum taticus* (Copepoda, Crustacea) in Alpine Lakes Stocked with Planktivorous Fish." *Limnology and Oceanography* 29(6): 1290-1299.
- Gloss, S. P., C. L. Schofield, et al. (1989). "Survival, Growth, Reproduction, and Diet of Brook Trout (*Salvelinus-Fontinalis*) Stocked into Lakes after Liming to Mitigate Acidity." *Canadian Journal of Fisheries and Aquatic Sciences* 46(2): 277-286.
- Goren, M. and B. S. Galil (2005). "A review of changes in the fish assemblages of Levantine inland and marine ecosystems following the introduction of non-native fishes." *Journal of Applied Ichthyology* 21(4): 364-370.

Grande, M., S. Andersen, et al. (1982). Title Details: Stocking experiments with brook trout in acid lakes

Document Type: Government publication

Held:BritishLibrary, St. John's : Northwest Arlantic Fisheries Centre.

Gunn, J. M., M. J. Mcmurtry, et al. (1987). "Survival and Growth of Stocked Lake Trout in Relation to Body Size, Stocking Season, Lake Acidity, and Biomass of Competitors." *Transactions of the American Fisheries Society* 116(4): 618-627.

Haddix, T. and P. Budy (2005). "Factors that limit growth and abundance of rainbow trout across ecologically distinct areas of Flaming Gorge Reservoir, Utah-Wyoming." *North American Journal of Fisheries Management* 25(3): 1082-1094.

Hansen, D. J. (1971). "Evaluation of Stocking Cutthroat Trout, *Salmo-Clarki*, in Munsel-Lake, Oregon." *Transactions of the American Fisheries Society* 100(1): 55-&.

Hansen, L. P., M. L. Windsor, et al. (1997). "Interactions between salmon culture and wild stocks of Atlantic salmon: The scientific and management issues - Introduction." *Ices Journal of Marine Science* 54(6): 963-964.

Hansen, M. J., J. W. Peck, et al. (1995). "Lake trout (*Salvelinus namaycush*) populations in Lake Superior and their restoration in 1959-1993." *Journal of Great Lakes Research* 21: 152-175.

Hard, J. J., A. C. Wertheimer, et al. (1985). "Early Male Maturity in 2 Stocks of Chinook Salmon (*Oncorhynchus-Tshawytscha*) Transplanted to an Experimental Hatchery in Southeastern Alaska." *Aquaculture* 48(3-4): 351-359.

Harig, A. L. and M. B. Bain (1998). "Defining and Restoring Biological Integrity in Wilderness Lakes." *Ecological Applications* 8(1): 71-87.

Hartleb, C. F. (1996). Ecology and performance of stocked brook trout (*Salvelinus fontinalis*) in two Maine ponds, THE UNIVERSITY OF MAINE: 210.

Havey, K. A. (1980). "Stocking Rate and the Growth and Yield of Landlocked Atlantic Salmon at Long Pond, Maine." *Transactions of the American Fisheries Society* 109(5): 502-510.

Heggberget, T. G., B. O. Johnsen, et al. (1993). "Interactions between Wild and Cultured Atlantic Salmon - a Review of the Norwegian Experience." *Fisheries Research* 18(1-2): 123-146.

Hembre, L. K. (2002). Effects of predation on the demography and genetics of a facultatively parthenogenetic *Daphnia* population, UNIVERSITY OF MINNESOTA: 185.

Hendrickson, D. A., H. E. Perez, et al. (2002). "Mexican native trouts: a review of their history and current systematic and conservation status." *Reviews in Fish Biology and Fisheries* 12(2): 273-316.

Hoag, S. H. (1972). "Relationship between Summer Food of Juvenile Sockeye Salmon, *Oncorhynchus-Nerka*, and Standing Stock of Zooplankton in Iliamna-Lake, Alaska." *Fishery Bulletin of the National Oceanic and Atmospheric Administration* 70(2): 355-&.

Holm, J. C. and D. Dag Møller (1984). "Growth and prey selection by Atlantic salmon yearlings reared on live freshwater zooplankton." *Aquaculture* 43(4): 401-412.

Holmlund, C. M. and M. Hammer (2004). "Effects of fish stocking on ecosystem services: An overview and case study using the Stockholm archipelago." *Environmental Management* 33(6): 799-820.

Igoe, F., M. O'Grady, et al. (2001). "Evidence for the recent extinctions of two Arctic charr *Salvelinus alpinus* (L.) populations in the West of Ireland." *Aquatic Conservation-Marine and Freshwater Ecosystems* 11(2): 77-92.

- Jacobsen, L., S. Berg, et al. (2004). "Management of lake fish populations and lake fisheries in Denmark: history and current status." *Fisheries Management and Ecology* 11(3-4): 219-224.
- Johannsson, O. E. (1987). "Comparison of Lake-Ontario Zooplankton Communities between 1967 and 1985 - before and after Implementation of Salmonid Stocking and Phosphorus Control." *Journal of Great Lakes Research* 13(3): 328-339.
- Johnson, J. H. (1983). "Food of Recently Stocked Subyearling Chinook Salmon in Lake-Ontario." *New York Fish and Game Journal* 30(1): 115-116.
- Josefsson, M. and B. Andersson (2001). "The environmental consequences of alien species in the Swedish lakes Malaren, Hjalmaran, Vanern and Vattern." *Ambio* 30(8): 514-521.
- Kaeding, L. R., G. D. Boltz, et al. (1996). "Lake trout discovered in Yellowstone Lake threaten native cutthroat trout." *Fisheries* 21(3): 16-20.
- Kahilainen, K. and H. Lehtonen (2001). "Resource use of native and stocked brown trout *Salmo trutta* L., in a subarctic lake." *Fisheries Management and Ecology* 8(1): 83-94.
- Kahilainen, K. and H. Lehtonen (2002). "Food composition, habitat use and growth of stocked and native Arctic charr, *Salvelinus alpinus*, in Lake Muddusjarvi, Finland." *Fisheries Management and Ecology* 9(4): 197-204.
- Kennedy, G. J. A. and C. D. Strange (1978). "7 Years on - Continuing Investigation of Salmonid Stocks in Lough Erne Tributaries." *Journal of Fish Biology* 12(4): 325-330.
- Kennedy, G. J. A., C. D. Strange, et al. (1984). "Survival of Brown Trout (*Salmo-Trutta*-L) Stocked as Summerlings and Autumn Fingerlings in 2 Northern-Ireland Lakes." *Fisheries Management* 15(1): 1-7.
- Kerr, S. R. (1979). "Prey Availability, Metaphoetesis, and the Size Structures of Lake Trout Stocks." *Investigacion Pesquera* 43(1): 187-198.
- Kiesecker, J. M., A. R. Blaustein, et al. (2001). "Transfer of a pathogen from fish to amphibians." *Conservation Biology* 15(4): 1064-1070.
- Kirn, R. A. and G. W. LaBar (1996). "Growth and survival of rainbow smelt, and their role as prey for stocked salmonids in Lake Champlain." *Transactions of the American Fisheries Society* 125(1): 87-96.
- Knapp, R. A. (2005). "Effects of nonnative fish and habitat characteristics on lentic herpetofauna in Yosemite National Park, USA." *Biological Conservation* 121(2): 265-279.
- Knapp, R. A., P. S. Corn, et al. (2001). "The introduction of nonnative fish into wilderness lakes: Good intentions, conflicting mandates, and unintended consequences." *Ecosystems* 4(4): 275-278.
- Knapp, R. A., C. P. Hawkins, et al. (2005). "Fauna of Yosemite National Park lakes has low resistance but high resilience to fish introductions." *Ecological Applications* 15(3): 835-847.
- Knapp, R. A. and K. R. Matthews (2000). " Non-Native Fish Introductions and the Decline of the Mountain Yellow-Legged Frog from within Protected Areas." *Conservation Biology* 14(2): 428-438.
- Kyle, G. B. (1996). "Stocking sockeye salmon (*Oncorhynchus nerka*) in barren lakes of Alaska: Effects on the macrozooplankton community." *Fisheries Research* 28(1): 29-44.
- Lachance, S. and P. Magnan (1990). "Comparative Ecology and Behavior of Domestic, Hybrid, and Wild Strains of Brook Trout, *Salvelinus-Fontinalis*, after Stocking." *Canadian Journal of Fisheries and Aquatic Sciences* 47(12): 2285-2292.

- Lachance, S. and P. Magnan (1990). "Performance of Domestic, Hybrid, and Wild Strains of Brook Trout, *Salvelinus-Fontinalis*, after Stocking - the Impact of Intraspecific and Interspecific Competition." *Canadian Journal of Fisheries and Aquatic Sciences* 47(12): 2278-2284.
- Lamontagne, S. (1993). The effect of elevation and fish predation on the distribution of *Chaoborus* in Rocky Mountain lakes: Paleolimnological applications, UNIVERSITY OF ALBERTA (CANADA): 102.
- Lamontagne, S. and D. W. Schindler (1994). "Historical Status of Fish Populations in Canadian Rocky-Mountain Lakes Inferred from Subfossil *Chaoborus* (Diptera, Chaoboridae) Mandibles." *Canadian Journal of Fisheries and Aquatic Sciences* 51(6): 1376-1383.
- Larson, G. L., R. L. Hoffman, et al. (2002). "Persistence of an unusual pelagic zooplankton assemblage in a clear, mountain lake." *Hydrobiologia* 468(1-3): 163-170.
- Leavitt, P. R., D. E. Schindler, et al. (1994). "Fossil Pigment Records of Phytoplankton in Trout-Stocked Alpine Lakes." *Canadian Journal of Fisheries and Aquatic Sciences* 51(11): 2411-2423.
- Lecis, R. and K. Norris (2004). "Habitat correlates of distribution and local population decline of the endemic Sardinian newt *Euproctus platycephalus*." *Biological Conservation* 115(2): 303-317.
- Levin, P. S., S. Achord, et al. (2002). "Non-indigenous brook trout and the demise of Pacific salmon: a forgotten threat?" *Proc.-R. Soc. Lond., Biological sciences* / Aug 22, 269(1501): 1663-1670.
- Link, J. S. (2002). "Ecological considerations in fisheries management: When does it matter?" *Fisheries* 27(4): 10-17.
- Liss, W. J., G. L. Larson, et al. (1998). "Factors influencing the distribution and abundance of diaptomid copepods in high-elevation lakes in the Pacific Northwest, USA." *Hydrobiologia* 379: 63-75.
- Lizhu, W. and W. R.J (1994). "Competition between wild brown trout and hatchery greenback cutthroat trout of largely wild parentage." *North American Journal of Fisheries Management* 14(3): 475-487.
- Luecke, C. (1988). "Predation by Cutthroat Trout on *Chaoborus flavicans* as Revealed by a Population Budget." *Limnology and Oceanography* 33(6, W. T. Edmondson Celebratory Issue).
- Maitland, P. S. and A. A. Lyle (1991). "Conservation of Fresh-Water Fish in the British-Isles - the Current Status and Biology of Threatened Species." *Aquatic Conservation-Marine and Freshwater Ecosystems* 1(1): 25-54.
- Marttunen, M. and T. Vehanen (2004). "Toward adaptive management: The impacts of different management strategies on fish stocks and fisheries in a large regulated lake." *Environmental Management* 33(6): 840-854.
- McNaught, A. S., D. W. Schindler, et al. (1999). "Restoration of the food web of an alpine lake following fish stocking." *Limnology and Oceanography* 44(1): 127-136.
- Membre, L. K. and R. O. F. B. Megard, pp. 1064-1080 (2005). "Timing of predation by rainbow trout controls *Daphnia* demography and the trophic status of a Minnesota lake." *Freshwater Biology* 50(6): 1064-1080.
- Metcalf, C., F. Pezold, et al. (1997). "Food habits of introduced rainbow trout (*Oncorhynchus mykiss*) in the upper Little Missouri River drainage of Arkansas." *Southwestern Naturalist* 42(2): 148-154.
- Mills, E. L., J. M. Casselman, et al. (2003). "Lake Ontario: food web dynamics in a changing ecosystem (1970-2000)." *Canadian Journal of Fisheries and Aquatic Sciences* 60(4): 471-490.

- Miskimmin, B. M., P. R. Leavitt, et al. (1995). "Fossil Record of Cladoceran and Algal Responses to Fishery Management-Practices." *Freshwater Biology* 34(1): 177-190.
- Molony, B. W., R. Lenanton, et al. (2003). "Stock enhancement as a fisheries management tool." *Reviews in Fish Biology and Fisheries* 13(4): 409-432.
- Oconnell, M. F. and R. J. Gibson (1989). "The Maturation of Anadromous Female Atlantic Salmon, *Salmo-Salar* L, Stocked in a Small Pond in Urban St Johns, Newfoundland, Canada." *Journal of Fish Biology* 34(6): 937-946.
- Ogrady, M. F. (1983). "Observations on the Dietary Habits of Wild and Stocked Brown Trout, *Salmo-Trutta*-L, in Irish Lakes." *Journal of Fish Biology* 22(5): 593-601.
- Ogrady, M. F. (1984). "Observations on the Contribution of Planted Brown Trout (*Salmo-Trutta*-L) to Spawning Stocks in 4 Irish Lakes." *Fisheries Management* 15(3): 117-122.
- Olenick, R. J. and J. H. Gee (1981). "Tiger Salamanders (*Ambystoma-Tigrinum*) and Stocked Rainbow-Trout (*Salmo-Gairdneri*) - Potential Competitors for Food in Manitoba Prairie Pothole Lakes." *Canadian Field-Naturalist* 95(2): 129-132.
- Parker, B. J. and C. Brousseau (1988). "Status of the Aurora Trout, *Salvelinus-Fontinalis-Timagamiensis*, a Distinct Stock Endemic to Canada." *Canadian Field-Naturalist* 102(1): 87-91.
- Parker, B. R., D. W. Schindler, et al. (2001). "The effects of stocking and removal of a nonnative salmonid on the plankton of an alpine lake." *Ecosystems* 4(4): 334-345.
- Peterson, D. P., Fausch, K.D., White, G.C. (2004). "Population ecology of an invasion: Effects of brook trout on native cutthroat trout." *Ecological Applications* 14(3): 754-772.
- Pilliod, D. S. and C. R. Peterson (2001). "Local and landscape effects of introduced trout on amphibians in historically fishless watersheds." *Ecosystems* 4(4): 322-333.
- Pister, E. P. (2001). "Wilderness fish stocking: History and perspective." *Ecosystems* 4(4): 279-286.
- Post, J. R., M. Sullivan, et al. (2002). "Canada's recreational fisheries: The invisible collapse?" *Fisheries* 27(1): 6-17.
- Raat, A. J. P. (2003). "Stocking of sea trout, *Salmo trutta*, in Lake Veere, south-west Netherlands." *Fisheries Management and Ecology* 10(2): 61-71.
- Rasmussen, G. and P. Geertz-Hansen (2001). "Fisheries management in inland and coastal waters in Denmark from 1987 to 1999." *Fisheries Management and Ecology* 8(4-5): 311-322.
- Reaser, J. K. (2000). "Demographic analysis of the Columbia spotted frog (*Rana luteiventris*): case study in spatiotemporal variation." *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 78(7): 1158-1167.
- Reimers, P. E. (1979). "Success in a Hatchery Program with Fall Chinook Salmon by Simulating the Natural Life-History of the Stock." *Progressive Fish-Culturist* 41(4): 192-195.
- Reynolds, J. B. (1994). "Northern Chars - Scientific Challenges and Management Opportunities." *Transactions of the American Fisheries Society* 123(3): 368-369.
- Ringo, E. (1987). "Comparison of Fresh-Water Growth of Landlocked (Takvatn Stock) and Anadromous (Hammerfest Stock) Arctic Charr, *Salvelinus-Alpinus* (L)." *Aquaculture* 66(3-4): 369-371.
- Rinne, J. N. and J. A. Stefferud (1999). "Single versus multiple species management: native fishes in Arizona." *Forest Ecology and Management* 114(2-3): 357-365.

Rubin, J. F. and B. Buttiker (1993). "What Is the Proportion of Arctic Char, *Salvelinus-Alpinus* (L), Coming from Natural Spawning or from Stocking in Lake Geneva." *Bulletin Francais De La Peche Et De La Pisciculture*(329): 221-229.

Ruzycki, J. R. (2004). Impact of lake trout introductions on cutthroat trout of selected western lakes of the continental United States (Wyoming), UTAH STATE UNIVERSITY: 151.

Ruzycki, J. R., D. A. Beauchamp, et al. (2003). "Effects of introduced lake trout on native cutthroat trout in yellowstone lake." *Ecological Applications* 13(1): 23-37.

Ruzzante, D. E., M. M. Hansen, et al. (2004). "Stocking impact and migration pattern in an anadromous brown trout (*Salmo trutta*) complex: Where have all the stocked spawning sea trout gone?" *Molecular Ecology* 13(6): 1433-1445.

Saunders, R. L. (1981). "Atlantic Salmon (*Salmo-Salar*) Stocks and Management Implications in the Canadian Atlantic Provinces and New England, USA." *Canadian Journal of Fisheries and Aquatic Sciences* 38(12): 1612-1625.

Saunders, R. L. (1991). "Potential Interaction between Cultured and Wild Atlantic Salmon." *Aquaculture* 98(1-3): 51-60.

Savino, J. F., M. G. Henry, et al. (1993). "Factors Affecting Feeding-Behavior and Survival of Juvenile Lake Trout in the Great-Lakes." *Transactions of the American Fisheries Society* 122(3): 366-377.

Schindler, D. E., R. A. Knapp, et al. (2001). "Alteration of nutrient cycles and algal production resulting from fish introductions into mountain lakes." *Ecosystems* 4(4): 308-321.

Shuter, B. J., M. L. Jones, et al. (1998). "A general, life history based model for regional management of fish stocks: the inland lake trout (*Salvelinus namaycush*) fisheries of Ontario." *Canadian Journal of Fisheries and Aquatic Sciences* 55(9): 2161-2177.

Siitonen, L. (1986). "Factors Affecting Growth in Rainbow-Trout (*Salmo-Gairdneri*) Stocks." *Aquaculture* 57(1-4): 185-191.

Solomon, D. J. (1985). "Salmon Stock and Recruitment, and Stock Enhancement." *Journal of Fish Biology* 27: 45-57.

Solomon, D. J. (2003). "Special issue - The scientific basis for management of salmonid stocks in the British Isles - Foreword." *Fisheries Research* 62(2): 109-109.

Solomon, D. J., G. W. Mawle, et al. (2003). "An integrated approach to salmonid management." *Fisheries Research* 62(2): 229-234.

Sprules, W. G., S. B. Brandt, et al. (1991). "Biomass Size Spectrum of the Lake-Michigan Pelagic Food Web." *Canadian Journal of Fisheries and Aquatic Sciences* 48(1): 105-115.

Stafford, C. P. (2002). Lake food webs: Biological and chemical perspectives, UNIVERSITY OF MONTANA: 235.

Stapp, P. and G. D. Hayward (2002). "Estimates of predator consumption of yellowstone cutthroat trout (*Oncorhynchus clarki bouvieri*) in Yellowstone Lake." *Journal of Freshwater Ecology* 17(2): 319-329.

Stefferdud, J. (2005). "National Forest Trout Management." *Fisheries* 30(9): 39-39.

Stenson, J. A. E. and J. E. Svensson (1994). "Manipulations of Planktivore Fauna and Development of Crustacean Zooplankton after Restoration of the Acidified Lake Gardsjon." *Archiv Fur Hydrobiologie* 131(1): 1-23.

Svensson, J. E. and J. A. E. Stenson (2002). "Responses of planktonic rotifers to restoration measures - trophic cascades after liming in Lake Gardsjon." *Archiv Fur Hydrobiologie* 153(2): 301-322.

- Swink, W. D. (1983). "Nonmigratory Salmonids and Tailwaters - a Survey of Stocking Practices in the United-States." *Fisheries* 8(3): 5-9.
- Takami, T., T. Yoshihara, et al. (2002). "Replacement of white-spotted charr *Salvelinus leucomaenis* by brown trout *Salmo trutta* in a branch of the Chitose River, Hokkaido." *Nippon Suisan Gakkaishi (Japanese Edition)* 68 (1), pp. 24-28 68(1): 24-28.
- Tammi, J., M. Appelberg, et al. (2003). "Fish status survey of Nordic lakes: Effects of acidification, eutrophication and stocking activity on present fish species composition." *Ambio* 32(2): 98-105.
- Templeto.Rg (1971). "Investigation of Advantages of Autumn and Spring Stocking with Brown Trout *Salmo-Trutta* L in a Yorkshire Reservoir." *Journal of Fish Biology* 3(3): 303-&.
- Thiede, G. P. (1997). Impact of lake trout predation on prey populations in Lake Tahoe: A bioenergetics assessment (*Salvelinus namaycush*, Nevada, California), UTAH STATE UNIVERSITY: 56.
- Tooze, S. (1984). "Fishery Stocks - Group Leaps to Aid Salmon." *Nature* 308(5959): 486-487.
- Tyler, T. J., W. J. Liss, et al. (1998). "Experimental analysis of trout effects on survival, growth, and habitat use of two species of ambystomatid salamanders." *Journal of Herpetology* 32(3): 345-349.
- Utter, F. M. (1994). "Detrimental Aspects of Put-and-Take Trout Stocking." *Fisheries* 19(8): 8-9.
- Vehanen, T., P. Hyvarinen, et al. (1998). "Food consumption and prey orientation of piscivorous brown trout (*Salmo trutta*) and pikeperch (*Stizostedion lucioperca*) in a large regulated lake." *Journal of Applied Ichthyology-Zeitschrift Fur Angewandte Ichthyologie* 14(1-2): 15-22.
- Vehanen, T. A. (1998). Ecological factors affecting the success of piscivorous salmonid (*Salmo*) stocking, OULUN YLIOPISTO: 142.
- Verschuren, D. and L. F. Marnell (1997). "Fossil zooplankton and the historical status of westslope cutthroat trout in a headwater lake of Glacier National Park, Montana." *Transactions of the American Fisheries Society* 126(1): 21-34.
- Vik, J. O. (2002). Feedback and population regulation by piscivory in Arctic charr *Salvelinus alpinus* and brown trout *Salmo trutta*, NORGES LANDBRUKSHOGSKOLE (NORWAY): 123.
- Vredenburg, V. T. (2002). The effects of introduced trout and ultraviolet radiation on anurans in the Sierra Nevada (California). BERKELEY, UNIVERSITY OF CALIFORNIA: 138.
- Wagner, H. H. (1968). "Effect of Stocking Time on Survival of Steelhead Trout *Salmo Gairdnerii* in Oregon." *Transactions of the American Fisheries Society* 97(4): 374-&.
- Waknitz, F. W., R. N. Iwamoto, et al. (2003). "Interactions of Atlantic salmon in the Pacific Northwest: IV. Impacts on the local ecosystems." *Fisheries Research* 62(3): 307-328.
- Warner, K. (1972). "Further Studies of Fish Predation on Salmon Stocked in Maine Lakes." *Progressive Fish-Culturist* 34(4): 217-&.
- Warner, K., R. P. Auclair, et al. (1968). "Fish Predation on Newly Stocked Landlocked Salmon." *Journal of Wildlife Management* 32(4): 712-&.
- Wiley, R. W. (2003). "Planting trout in wyoming high-elevation wilderness waters." *Fisheries* 28(1): 22-27.

Wilson, A. S. (1996). The effect of piscivorous fish stocking on the planktivorous fish, zooplankton, and phytoplankton communities of 31 southeastern Ontario lakes, UNIVERSITY OF OTTAWA (CANADA): 102.

Windsor, M. L. and P. Hutchinson (1990). "The Potential Interactions between Salmon Aquaculture and the Wild Stocks - a Review." *Fisheries Research* 10(1-2): 163-176.

Wissel, B., K. Freier, et al. (2000). "Moderate planktivorous fish biomass stabilizes biomanipulation by suppressing large invertebrate predators of *Daphnia*." *Archiv Fur Hydrobiologie* 149(2): 177-192.

Wood, C. C., C. J. Foote, et al. (1999). "Ecological interactions between juveniles of reproductively isolated anadromous and non-anadromous morphs of sockeye salmon, *Oncorhynchus nerka*, sharing the same nursery lake." *Environmental Biology of Fishes* 54(2): 161-173.