

Supplementary material

Characteristics of included studies

The characteristics of studies included in the meta-analyses are detailed in review. Note that these references are included in the list below along with studies that were rejected upon reading at full text (reasons for rejection were not recorded).

References retrieved from electronic searching assessed at full text

- (1974). "Tansy ragwort control project." Oregon agri record **263**: 7-9.
- Adams Jacqueline Nancy, M., L. Poole Alick, et al. (1940). Botanical Aspects of Ragwort-Senecio jacobaea L.-Control, Wellington.
- Agricultural, D. and S. Advisory (1976). Weed control, ragwort. Pinner, The Ministry.
- Alex, J. F., J. E. Corrigan, et al. (1985). "Transfer of cinnabar moth, *Tyria jacobaeae*, in eastern Canada for control of tansy ragwort, *Senecio jacobaea*." Proceedings of the VI International Symposium on Biological Control of Weeds / edited by Ernest S. Delfosse. Ottawa : Agriculture Canada: 685-690.
- Amuti, K., A. Trombini, et al. (1997). Azafenidin: A new low use rate herbicide for weed control in perennial crops, industrial weed control and forestry. 1997 Brighton Crop Protection Conference - Weeds, Conference Proceedings Vols 1-3. Farnham, BRITISH CROP PROTECTION COUNCIL: 59-66.
- Anon. (2000, September 2000). "IVM Technical Bulletin - Tansy Ragwort." Retrieved 19/05/04, 2004, from <http://members.efn.org/~ipmpa/Noxtansy.html>.
- Appleby, A. P. (1979). "Chemical control of tansy ragwort _*Senecio jacobaea*_" Symposium on Pyrrolizidine **23**(24): 161.
- Bacon, J. (1994). "A prickly problem." enact **2**(1): 12-15.
- Bacon, J. (1995). "Removing the prickles." ENACT **3**(2): 10-11.
- Bacon, J. (2000). "Pedestrian and scrub weed-wipers." enact **8**(4): 4-5.
- Bacon, J. (2003). "Common ragwort *Senecio jacobaea*: towards a ragwort management strategy." 12.
- Bacon, J. and T. Overbury (1998). "Pulling tall weeds.": Enact: **6**(: 1): 7-9.
- Bain, J. F. (1991). "The Biology of Canadian Weeds 96 *Senecio-Jacobaea* L." Canadian Journal of Plant Science **71**(1): 127-140.
- Balfour, P. J. (1955). Ragwort control. Proceedings of the 8th New Zealand Weed Control Conference.
- Bedell, T. E., R. E. Whitesides, et al. (1981). "Pasture management for control of tansy ragwort." PNW, Cooperative Extension Service. **210**(6).
- Benson, R. B. and et al. (1952). "Increase in the plant *Senecio jacobaea* L. and decrease in the moth *Hypocrita jacobaeae* L. (Lep., Arctiidae) in Britain." Entomologist's Monthly Magazine **88**: 39.

- Berendse, F., M. J. M. Oomes, et al. (1992). "Experiments on the restoration of species-rich meadows in The Netherlands." Biological Conservation **62**(1): 59-65.
- Bewster, B. D., M. P. Rolston, et al. (1978). Control of tansy ragwort in Western Oregon pastures with 2,4-D. Circular of information No. 665 Ag. Expt. Station. Corvallis, Oregon State University.
- Bing, A. (1980). "Weed control on hardwood cuttings, 1980." Northeastern Weed Science Society. Proceedings annual meeting of the Northeastern Weed Science Society. p. 273: 273.
- Binns, E. S. (1975). "Adults of *Longitarsus jacobaeae* (L.) (Coleoptera, Chrysomelidae) defoliating ragwort (*Senecio jacobaea* L.: Compositae)." Entomologists Monthly Mag **111**: 129-130.
- Bird, M. (1977). "Ragwort control." New Zealand journal of agriculture **135**(5): 21.
- Black, W. N. (1976). "Effects of herbicide rates and time of application on the control of tansy ragwort in pastures." Canadian journal of plant science. **56**(3): 605-610.
- Bond, W. (1988). "Comparative tolerance of different plant species to prodiamine." Crop Protection **7**(2): 75-79.
- Bonsall, M. B., E. van der Meijden, et al. (2003). "Contrasting dynamics in the same plant-herbivore interaction." Proceedings of the National Academy of Sciences of the United States of America **100**(25): 14932-14936.
- Bornemissza, G. F. (1966). "An attempt to control ragwort in Australia with the cinnabar moth (*Callimorpha jacobaeae*)(Arctiidae:Lepidoptera)." Australian Journal of Zoology **14**: 201-243.
- Briese, D. T. and D. A. McLaren (1997). "Community involvement in the distribution and evaluation of biological control agents: Landcare and similar groups in Australia." Biocontrol **18**(2): 39-49.
- Brown, R. E. (1988). Biological control of tansy ragwort (*Senecio jacobaea*) in Western Oregon, USA 1975-87. International symposium on biological control of weeds, Federconsorzi Conference Hall, Rome, Italy.
- Buckland, S. M., K. Thompson, et al. (2001). "Grassland invasions: effects of manipulations of climate and management." Journal of Applied Ecology **38**(2): 301-309.
- Burrill, L. C., R. H. Callihan, et al. (1994). "Tansy ragwort: *Senecio jacobaea* L." PNW **175**(8).
- Callihan, R. H. and R. R. Old (1990). "Tansy ragwort biology and eradication." Bulletin Idaho Agricultural Experiment Station. **716**(6).
- Cameron, E. (1935). "A Study of the Natural Control of Ragwort (*Senecio Jacobaea* L.)." The Journal of Ecology **23**(2): 265-322.
- Cayley, G. R., D. C. Griffiths, et al. (1987). "Effectiveness of different spraying systems in winter wheat and biological effects on target and non-target organisms." Agriculture, Ecosystems & Environment **19**(3): 211-221.
- Cheeke, P. R., M. Symposium on Pyrrolizidine Alkaloids: Toxicity, et al. (1979). Symposium on Pyrrolizidine (*Senecio*) Alkaloids: Toxicity, Metabolism and Poisonous Plant Control Measures : the proceedings of a symposium held at Oregon State University, February 23 and 24, 1979. Corvallis, Or., Nutrition Research Institute, Oregon State University.

- Clay, D. V. (2000). Spread and control of common ragwort *Senecio jacobaea* in England. Vegetation management in changing landscapes. N. D. Boatman, A. Goodman, R. H. Marrs, E. J. P. Marshall and J. R. Newman. York, University of York: 63-70.
- Clay, D. V. and F. L. Dixon (1998). "The susceptibility of compositae weed species to clopyralid." Tests of agrochemicals and cultivars. Supplement to Annals of applied biology, volume 132, **19**: 32-33.
- Coles, P. G. (1967). Ragwort control with picloram. Proceedings of the 20th New Zealand Weed and Pest Control Conference.
- Combella, J. H. (1984). "Herbicide application: a review of ground application techniques." Crop Protection **3**(1): 9-34.
- Coombs, E. M., T. E. Bedell, et al. (1991). Tansy Ragwort (*Senecio-Jacobaea*) - Importance, Distribution, and Control in Oregon. Noxious Range Weeds. Boulder, WESTVIEW PRESS: 419-428.
- Coombs, E. M., D. Isaacson, et al. (1992). The status of biological control of weeds in Oregon. Proceedings of the 8th International Symposium on Biological Control of Weeds, Lincoln University, Canterbury, New Zealand, DSIR/CSIRO, Melbourne.
- Cooper, B. A. (1937). "Tyria (*Euchelia*) *jacobaeae* and ragwort." Entomologist's Record **49**: 138-139.
- Courtney, A. D. (1975). "Ragwort control in grassland--an alternative strategy." Agriculture in Northern Ireland. **50**(6): 177-180.
- Courtney, A. D. and R. Johnston (1976). An extended season of herbicides application for the control of *Senecio jacobaea*. Br Weed Control Conf.
- Cox, C. S. and P. B. McEvoy (1983). "Effect of Summer Moisture Stress on the Capacity of Tansy Ragwort (*Senecio-Jacobaea*) to Compensate for Defoliation by Cinnabar Moth (*Tyria-Jacobaeae*)." Journal of Applied Ecology **20**(1): 225-234.
- Crawford, A. K. and M. J. Liddle (1977). "The effect of trampling on neutral grassland." Biological Conservation **12**(2): 135-142.
- Crawley, M. J. and M. P. Gillman (1989). "Population Dynamics of Cinnabar Moth and Ragwort in Grassland." The Journal of Animal Ecology **58**(3): 1035-1050.
- Crawley, M. J. and M. Nachapong (1984). "Facultative Defenses and Specialist Herbivores - Cinnabar Moth (*Tyria-Jacobaeae*) on the Regrowth Foliage of Ragwort (*Senecio-Jacobaea*)." Ecological Entomology **9**(4): 389-393.
- Crawley, M. J. and M. Nachapong (1985). "The Establishment of Seedlings from Primary and Regrowth Seeds of Ragwort (*Senecio Jacobaea*)." The Journal of Ecology **73**(1): 255-261.
- Crofts, A. and R. G. Jefferson, Eds. (1999). Lowland Grassland Management Handbook. Peterborough.
- Cullen, J. M. and A. D. Moore (1980). "Preliminary observations on *Longitarsus jacobaeae* introduced for the control of ragwort in Australia _*Senecio jacobaea*, weed_" Proceedings of the Fifth International Symposium on Biological Control of Weeds, July 1981: 499-505.
- Darwent, A. L., D. Cole, et al. (1997). "Imazethapyr, alone or with other herbicides for weed control during alfalfa (*Medicago sativa*) establishment." Weed Technology **11**(2): 346-353.

- Dato Torres, L. F. (1978). "Control de senecio o flor amarilla en estancia "Bellamar", Miramar." Asociacion Argentina de Consorcios Regionales de Experimentacion Agricola **14**(74): 45-47.
- Davies, A. J. (1953). The ragwort problems in Wales. Proceedings of the 1st British Weed Control Conference.
- Davies, D. H. K., J. Frame, et al. (1987). Ragwort poisoning in livestock and prevention by control. Perth, Scottish Agricultural Colls.
- Davies, K. and C. Scottish Agricultural (2000). Ragwort poisoning in livestock and prevention and control, Scottish Agricultural Colleges.
- Davis, V. H. (1977). "My useful friend, the cinnabar moth." Organic Garden Farming Magazine **24**(5): 89-90.
- Dean, R. N. (1978). "Amplia informacion sobre control de Senecio procuran los CREA de la zona Mar y Sierras." Asociacion Argentina de Consorcios Regionales de Experimentacion Agricola **14**(74): 42-45.
- Deem, J. W. (1930). "Control of ragwort and other weeds by spraying." New Zealand journal of agriculture **40**: 291-294.
- Deem, J. W. (1930). "Control of weeds by sodium and calcium chlorates." New Zealand journal of agriculture **41**: 1-3.
- Deem, J. W. (1931). "Control of weeds with chlorates." New Zealand journal of agriculture **43**: 105-110.
- Deem, J. W. (1933). "Control of ragwort on grassland." New Zealand Journal of Agriculture **47**: 99-104.
- Delpachitra, D. and R. M. Emberson (1992). Seasonality in *Longitarsus jacobaeae*: some implications for biological control of ragwort. International symposium on biological control of weeds, Lincoln University, Canterbury, New Zealand.
- Dempster, J. P. (1971). "The population ecology of the cinnabar moth, *Tyria jacobaeae* L. (Lepidoptera, arctiidae)." Oecologia **7**(1): 26-67.
- Dempster, J. P. (1982). "The Ecology of the Cinnabar Moth, *Tyria-Jacobaeae* L (Lepidoptera, Arctiidae)." Advances in Ecological Research **12**: 1-36.
- Dempster, J. P. and K. H. Lakhani (1979). "A Population Model for Cinnabar Moth and its Food Plant, Ragwort." The Journal of Animal Ecology **48**(1): 143-163.
- Dixon, F. L. and D. V. Clay (2001). Effect of synthetic and natural-product herbicides on *Senecio jacobaea* (common ragwort). Bcpc Conference - Weeds 2001, Vols 1 and 2. Farnham, BRITISH CROP PROTECTION COUNCIL: 721-726.
- Dixon, F. L. and D. V. Clay (In press). "Effect of herbicides applied pre- and post-emergence on forestry weeds grown from seed." Crop Protection In Press, Corrected Proof.
- Eadie, I. M. and B. D. Robinson (1953). "Control of ragwort by hormone-type weedicides." Journal of the Australian Institute of Agricultural Science **19**: 192-196.
- Ehrenreich, J. H. and J. M. Aikman (1963). "An Ecological Study of the Effect of Certain Management Practices on Native Prairie in Iowa." Ecological Monographs **33**(2): 113-130.
- EN (2001). "English Nature's provisional comments on Barrier H herbicide (active ingredient citronella oil, Ref COP 2000/00097, MAPP number 10136, PSD approval nos 1050 of 2000)." [3].

- Field, R. P. (1988). Progress towards biological control of ragwort in Australia. Proceedings of the 7th International Symposium on Biological Control of Weeds, Rome, Italy.
- Forbes, J. C. (1974). Spraying and cutting experiments on ragwort (*Senecio jacobaea* L. and *Senecio aquaticus* Hill). British Weed Control Conference.
- Forbes, J. C. (1974). A survey of ragwort in Orkney. Proceedings of a Symposium on Weed Control in The Northern Environment, British Crop Protection Council Monograph 9.
- Forbes, J. C. (1976). "Influence of management and environmental factors on distribution of marsh ragwort (*Senecio aquaticus* Huds) in agricultural grassland in Orkney." Journal of Applied Ecology **13**(3): 985-990.
- Forbes, J. C. (1977). "Chemical control of marsh ragwort (*Senecio aquaticus* Huds.) in established grassland." Weed research **17**(4): 247-250.
- Forbes, J. C. (1977). "Population flux and mortality in a ragwort (*Senecio jacobaea* L.) infestation." Weed Research **17**: 387-391.
- Forbes, J. C. (1978). "Control of *Senecio jacobaea* (ragwort) by autumn or spring herbicide application." Weed Research **18**(2): 109-110.
- Forbes, J. C. (1982). Evaluating herbicides for selective control of *Senecio jacobaea* in grass/clover swards. In Proceedings of the 1982 British Crop Protection Conference - Weeds.
- Forbes, J. C. (1984). "Changes in the incidence of ragwort (*Senecio jacobaea* L.) infestation of grassland over a 4-year period in northeast Scotland." Weed research **24**(6): 431-438.
- Forbes, J. C. (1985). The impact and control of Ragwort in grassland. British Grassland Society Occasional Symposium No.18, Weeds, pests and diseases of grassland and herbage legumes. Crop Protection Monograph No. 29.
- Forbes, J. C., D. W. Kilgour, et al. (1980). Some causes of poor control of *Senecio jacobaea* L. by herbicides Scotland, Ireland, grassland weed ragwort. British Crop Protection Conference - Weeds, Brighton.
- Frick, K. E. (1969). "Tansy ragwort control aided by the establishment of seedfly from Paris." Calif Agr **23**(12): 10-11.
- Frick, K. E. (1970). "Longitarsus jacobaeae (Coleoptera: Chrysomelidae), a flea beetle for the biological control of tansy ragwort. 1. host plant specificity studies." Entomol Soc Amer Ann **63**(1): 284-296.
- Frick, K. E. (1970). "Ragwort flea beetle established for biological control of tansy ragwort in Northern California." Calif Agr **24**(4): 12-13.
- Frick, K. E. (1971). "Longitarsus jacobaeae (Coleoptera: Chrysomelidae), a flea beetle for the biological control of tansy ragwort. II. Life history of a Swiss biotype." Entomol Soc Amer Ann **64**(4): 834-840.
- Frick, K. E. and J. K. Holloway (1964). "Establishment of the cinnabar moth, *Tyria jacobaeae* on tansy ragwort in the western United States." Journal of Economic Entomology **57**: 152-154.
- Fryer, J. D. (1953). The use of 2:4-D for the control of ragwort. Proceedings of the 1st British Weed Control Conference.
- Fryer, J. D. and R. J. Makepeace (1956). "Ragwort and its control." Agriculture **63**: 65-69.
- Fryer, J. D. and R. J. Makepeace (1978). Weed Control Handbook, Volume II: Recommendations. Oxford, Blackwell Scientific Publications.

- Ganeshan, S. (1992). Direct effect and indirect interactions between flea beetles and cinnabar moths on the ragwort. Department of Biology. U.K., Imperial College, London.
- Garrity, H. S. (1983). "Ragwort control using MCPA and 2,4-D." Protect **4**(4): 28-29.
- Gruber, E. and A. Whytemare (1997). The return of the native? *Sidalcea hirtipes* in coastal Oregon. Conservation and Management of Native Plants and Fungi. Eugene, NATIVE PLANT SOCIETY OREGON: 121-124.
- Hails, R. (1986). "Herbivorous insects and the population dynamics of plants." Antenna **10**: 130-131.
- Harper, D. (1973). Tansy ragwort control. Proc Annu Oreg Weed Conf.
- Harper, D. R. (1976). Asulam for tansy ragwort control in alfalfa: Field efficacy and selectivity factors, Oregon State University: 124.
- Harper, D. R. and A. P. Appleby (1984). "Selectivity Factors Relative to Asulam for *Senecio-Jacobaea* L Control in *Medicago-Sativa* L .1. Retention, Uptake and Translocation." Weed Research **24**(2): 85-92.
- Harper, D. R. and A. P. Appleby (1984). "Selectivity Factors Relative to Asulam for *Senecio-Jacobaea* L Control in *Medicago-Sativa* L .2. Metabolism." Weed Research **24**(2): 93-97.
- Harper, J. L. (1958). "The ecology of ragwort *Senecio jacobaea* with especial reference to control." Herbage Abstracts **28**: 151-157.
- Harper, J. L. and W. A. Wood (1957). "*Senecio Jacobaea* L." The Journal of Ecology **45**(2): 617-637.
- Harris, P. (1973). "Biological control of ragwort in Canada." Minutes Proc Annu Meet Can Weed Comm West Sect **33**: 33.
- Harris, P. (1974). "The impact of the cinnabar moth on ragwort in east and west Canada and its implication for biological control." Commonw Inst Biol Control **8**: 119-123.
- Harris, P., L. S. Thompson, et al. (1976). Reproductive biology of tansy ragwort, climate and biological control by the cinnabar moth in Canada. IV International symposium on biological control of weeds, Gainesville, Florida, USA.
- Harris, P., A. T. S. Wilkinson, et al. (1984). *Senecio jacobaea* L., tansy ragwort (Compositae). Biological control programmes against insects and weeds in Canada 1969-1980. J. S. Kelleher and M. A. Hulme, Commonwealth Agricultural Bureaux: 195-201.
- Harris, P., A. T. S. Wilkinson, et al. (1971). "*Senecio jacobaea* L., Tansy Ragwort. Technical Communication." Commonwealth Institute of Biological Control **4**: 97-104.
- Harris, P., A. T. S. Wilkinson, et al. (1975). "Establishment in Canada of the cinnabar moth, *Tyria jacobaeae* (Lepidoptera: Arctiidae) for controlling the weed *Senecio jacobaea*." Canadian entomologist **107**(9): 913-917.
- Harris, P., A. T. S. Wilkinson, et al. (1976). Interaction between the cinnabar moth, *Tyria jacobaeae* and ragwort, *Senecio jacobaea* in Canada. IV International symposium on biological control of weeds, Gainesville, Florida, USA.
- Harrison, S. and C. D. Thomas (1991). "Patchiness and Spatial Pattern in the Insect Community on Ragwort *Senecio Jacobaea*." Oikos **62**(1): 5-12.

- Harrison, S., C. D. Thomas, et al. (1995). "Testing a Metapopulation Model of Coexistence in the Insect Community on Ragwort (*Senecio Jacobaea*)." American Naturalist **145**(4): 546-562.
- Hawkes, R. B. (1968). "The Cinnabar Moth, *Tyria jacobaeae*, for the control of Tansy Ragwort." Journal of Economic Entomology **61**: 499-501.
- Hawkes, R. B. (1980). "Biological control of tansy ragwort in the State of Oregon, U.S.A. *Senecio jacobaea*, weed, *Tyria jacobaeae*." Proceedings of the Fifth International Symposium on Biological Control of Weeds **1981**: 623-626.
- Hawkes, R. B. and R. E. Brown (1979). "Longitarsus jacobaeae aids in the control of tansy ragwort *Senecio jacobaea*, introduced weed." Symposium on Pyrrolizidine **23**(24): 155-156.
- Hawkes, R. B. and G. R. Johnson (1976). Longitarsus jacobaeae Aids Moth in the Biological Control of Tansy Ragwort. Proceedings of the 4th International Symposium on Biological Control of Weeds.
- Helson, G. A. H. (1974). "Beneficial insects: cinnabar moth and ragwort seed fly." New Zealand journal of agriculture **128**(2): 56-57.
- Hicks, H. D. R. (1930). "Chemical control of ragwort." Tasmanian Journal of agriculture **1**: 150-158.
- Holliday, R. J. and P. D. Putwain (1974). Variation in the susceptibility to simazine in three species of annual weeds. Proc Br Weed Control Conf 12.
- Holly, K., E. K. Woodford, et al. (1952). "The control of some perennial weeds in permanent grassland by selective herbicides." Agriculture (Lond.) **59**: 19-23.
- Ireson, J. E., D. A. Friend, et al. (1991). "Biology of *Longitarsus flavicornis* (Stephens) (Coleoptera: Chrysomelidae) and its effectiveness in controlling ragwort (*Senecio jacobaea* L.) in Tasmania." Journal of the Australian Entomological Society **30**(pt.2): 129-141.
- Ireson, J. E., S. M. Leighton, et al. (2000). "Establishment and redistribution of *Longitarsus flavicornis* (Stephens) (Coleoptera : Chrysomelidae) for the biological control of ragwort (*Senecio jacobaea* L.) in Tasmania." Australian Journal of Entomology **39**: 42-46.
- Ireson, J. E. and A. Terauds (1982). "Preliminary observations on the ragwort flea beetle (*Longitarsus jacobaeae*) introduced into Tasmania to control ragwort (*Senecio jacobaea*) *Pasture weed*." Australian weeds **1**(4): 3-6.
- Irvine, H. M., J. C. Forbes, et al. (1977). "Effect of 2, 4-D on water soluble carbohydrate content of ragwort." Weed Research **17**: 169-172.
- Isaacson, D. (1972). Biological control of tansy ragwort in Oregon. Proc Annu Oreg Weed Conf 21.
- Isaacson, D. (1972). "The status of the cinnabar moth releases against tansy ragwort." Oreg Agri rec **255**: 5.
- Isaacson, D. L. (1973). "A life table for the cinnabar moth, *Tyria jacobaeae*, in Oregon." Entomophaga **18**(3): 291-303.
- Isaacson, D. L. (1975). "Economic losses to tansy ragwort." Proc Annu Oreg Weed Conf: 1-3.
- Isaacson, D. L. (1976). The role of biological agents in integrated control of tansy ragwort. V International symposium on biological control of weeds, Gainesville, Florida, USA.

- Isaacson, D. L. (1979). "Use of the cinnabar moth for biological control of tansy ragwort *Tyria jacobaeae*, *Senecio jacobaea*, weeds." Symposium on Pyrrolizidine **23**(24): 151-153.
- Islam, Z. and M. J. Crawley (1983). "Compensation and Regrowth in Ragwort (*Senecio Jacobaea*) Attacked by Cinnabar Moth (*Tyria Jacobaeae*)." The Journal of Ecology **71**(3): 829-843.
- Ivens, G. W. (1979). "Ragwort." New Zealand journal of agriculture **139**(3): 48-49.
- James, R. R. (1989). The relative impact of single vs. multiple agents on the biological control of tansy ragwort (*Senecio jacobaea*), Oregon State University.
- James, R. R., P. B. McEvoy, et al. (1992). "Combining the Cinnabar Moth (*Tyria-Jacobaeae*) and the Ragwort Flea Beetle (*Longitarsus-Jacobaeae*) for Control of Ragwort (*Senecio-Jacobaea*) - an Experimental-Analysis." Journal of Applied Ecology **29**(3): 589-596.
- James, T. K. and J. Mortimer (1983). Control of ragwort and nodding thistle in lucerne with hexazinone. Proceedings New Zealand Weed and Pest Control Conference.
- James, T. K., A. Rahman, et al. (1997). Flazasulfuron for control of ragwort (*Senecio jacobaea*) in pasture. Proceedings of the Fiftieth New Zealand Plant Protection Conference. Rotorua, NEW ZEALAND PLANT PROTECTION SOC: 477-481.
- Kahmen, S., P. Poschlod, et al. (2002). "Conservation management of calcareous grasslands. Changes in plant species composition and response of functional traits during 25 years." Biological Conservation **104**(3): 319-328.
- Kingsley, K. K. and U. S. E. Service (1976). Controlling tansy ragwort, Ext Serv Rev US Dep Agric. **47**: 16-17.
- Kunin, W. E. (1999). "Patterns of herbivore incidence on experimental arrays and field populations of ragwort, *Senecio jacobaea*." Oikos **84**(3): 515-525.
- Kyi, A., B. P. Springett, et al. (1999). Measuring the consumption rates of ragwort by ragwort flea beetle *Longitarsus jacobaeae* (Coleoptera: Chrysomelidae). in Proceedings of the 7th Australasian Conference on Grassland Invertebrate Ecology, Perth, Australia, CSIRO Entomology.
- Lakhani, K. H. and J. P. Dempster (1981). "Cinnabar Moth and its Food Plant, Ragwort: Further Analysis of a Simple Interaction Model." The Journal of Animal Ecology **50**(1): 231-249.
- Lawson, S. (1982). An investigation into the viability of ragwort (*Senecio jacobaea* L.) seeds from plants treated with herbicides during flowering, Aberdeen University.
- Lund-Hoie, K. and A. Rognstad (1990). "Effect of foliage-applied imazapyr and glyphosate on common forest weed species and Norway spruce." Crop Protection **9**(1): 52-58.
- Lynch, P. B. (1949). "Experiments with chemical control of ragwort." New Zealand Journal of Agriculture **78**: 575.
- Makepeace, W. and A. Thompson (1982). Ragwort control using a rope wick applicator. Proc. 35th New Zealand Weed and Pest Conference.

- Markin, G. P. and J. L. Birdsall (2001). Biological Control of Tansy Ragwort in Montana: status of work as of December 2001. USFS. Bozeman, USFS Rocky Mountain Research Station: 20.
- Marrs, R. H. (1985). "The effects of potential bracken and scrub control herbicides on lowland Calluna and grass heath communities in East Anglia, UK." Biological Conservation **32**(1): 13-32.
- Martin, P., A. Thompson, et al. (1986). "Effect of plant type on the response of ragwort to rates and times of 2,4-D application." Proceedings New Zealand Weed and Pest Control Conference. July **39**: 179-182.
- Mastrogriuseppe, R. J., N. T. Blair, et al. (1983). Artificial and biological control of tansy ragwort, *Senecio jacobaea* L., in Redwood National Park, California. Proceedings of the 1st Biennial Conference of Research in California National Parks, Davis, California.
- Matthews, L. J. and A. Thompson (1977). Ragwort control through seeding then spraying. Proc Ruakura Farmers Conf 29th.
- McClements, I. (1992). Marsh ragwort (*Senecio aquaticus*) biology and control. Belfast, Queen's University Belfast: 278.
- McEvoy, P., C. Cox, et al. (1991). "Successful Biological Control of Ragwort, *Senecio Jacobaea*, by Introduced Insects in Oregon." Ecological Applications **1**(4): 430-442.
- McEvoy, P., C. Cox, et al. (1988). Ecological mechanisms underlying successful biological weed control: field experiments with ragwort, *Senecio jacobaea*. International symposium on biological control of weeds, Federconsorzi Conference Hall, Rome, Italy.
- McEvoy, P. B. (1985). "Depression in ragwort (*Senecio jacobaea*) abundance following introduction of *Tyria jacobaea* and *Longitarsus jacobaeae* on the central coast of Oregon." Proceedings of the VI International Symposium on Biological Control of Weeds / edited by Ernest S. Delfosse. Ottawa : Agriculture Canada: 57-64.
- McEvoy, P. B. and E. M. Coombs (1999). "Biological Control of Plant Invaders: Regional Patterns, Field Experiments, and Structured Population Models." Ecological Applications **9**(2): 387-401.
- McEvoy, P. B. and N. T. Rudd (1993). "Effects of Vegetation Disturbances on Insect Biological Control of Tansy Ragwort, *Senecio Jacobaea*." Ecological Applications **3**(4): 682-698.
- McEvoy, P. B., N. T. Rudd, et al. (1993). "Disturbance, Competition, and Herbivory Effects on Ragwort *Senecio Jacobaea* Populations." Ecological Monographs **63**(1): 55-75.
- McLaren, D. A., J. E. Ireson, et al. (1999). Biological Control of Ragwort (*Senecio jacobaea* L.) in Australia. X International Symposium on Biological Control of Weeds, Montana State University, Bozemen, Montana, USA.
- McLaren, D. A. and F. Micken (1997). The Ragwort Management Handbook. Victoria, Department of Natural Resources and Environment.
- Meijden, E. v. d. (1974). "The distribution of *Senecio Jacobaea* L. and *Tyria jacobaeae* L. in relation to soil properties." Acta botanica Neerlandica **23**(5/6): 681-690.
- Miller, D. (1929). "Control of Ragwort : experimental work with Cinnabar Moth." Journal of Science & Technology **11**(2): 112-119.

- Miller, D. (1936). "Biological control of noxious weeds." New Zealand Journal of Sci. Technol. **18**: 581-584.
- Miller, T. W. and R. H. Callihan (1992). "Control of common tansy in pasture." Research progress report Western Society of Weed Science **1992**: 187.
- Mitich, L. W. (1995). "Tansy ragwort." Weed technology : a journal of the Weed Science Society of America **9**(2): 402-404.
- Montgomery, D. (1966). The use of picloram as a residual herbicide for industrial weed control. Proceedings of the 8th British Weed Control Conference.
- Morgan, R. S. (1982). "Ragwort, a recipe that works." Protect **3**(4): 3-4.
- Murphy, J. (2000, 2000). "Ragwort Control." Retrieved 19/05/04, from <http://www.thepowerof2.co.uk/download/Aventis%20Ragwort%20Leaflet.pdf>.
- Myers, J. H. (1976). Biological control introductions as grandiose field experiments: adaptations of cinnabar moth to new surroundings. IV International symposium on biological control of weeds, Gainesville, Florida, USA.
- Myers, J. H. (1980). "Is the insect or the plant the driving force in the cinnabar moth --tansy ragwort system?" Oecologia **47**(1): 16-21.
- Myers, J. H. and B. J. Campbell (1976). "Distribution and dispersal in populations capable of resource depletion. a field study on Cinnabar moth." Oecologia **24**(1): 7-20.
- Nagel, W. P. and D. L. Isaacson (1974). "Tyria jacobaea and tansy ragwort in western Oregon." Journal of economic entomology **67**(4): 494-496.
- Naish, R. W. (1975). Dowco 290 --a new growth regulator herbicide. Proc N Z Weed Pest Control Conf 28th.
- Norris, J. J. (1954). The Distribution and Chemical Control of Species of Senecio, Astragalus and Baileya in the Highlands Range Area of West Texas, Texas A&M University.
- North-of-Scotland-College-of-Agriculture (1976). Investigation of grassland weeds: ecology and control of ragwort. Research Investigations and Field Trails 1974-75. Aberdeen, North of Scotland College of Agriculture: 138-140.
- Pakeman, R. J., J. P. Attwood, et al. (1998). "Sources of Plants Colonizing Experimentally Disturbed Patches in an Acidic Grassland, in Eastern England." Journal of Ecology **86**(6): 1032-1041.
- Peabody, D. V. (1975). "Chemical control of tansy ragwort." EM Coop Ext Serv Coll Agric Wash State Univ **3944**(3).
- Peabody, D. V. (1978). "Western Washington weed control guide: Chemical control of tansy ragwort." Washington State University. Cooperative Extension Service. E.M. Rev. Nov **3944**(2).
- Peabody, D. V. (1980). "Chemical control of tansy ragwort." EM Cooperative Extension Service, Washington State University. Rev. May **3944**(2).
- Peabody, D. V. and S. Washington State University Cooperative Extension (1976). "Chemical control of tansy ragwort." EM Coop Ext Serv Coll Agric Wash State Univ **3944**(2).
- Pemberton, R. W. and C. E. Turner (1990). "Biological-Control of Senecio-Jacobaea in Northern California, an Enduring Success." Entomophaga **35**(1): 71-77.

- Piper, G. L. (1985). Biological control of weeds in Washington: status report. Proceedings of the VI International Symposium on Biological Control of Weeds / edited by Ernest S. Delfosse. Ottawa : Agriculture Canada.
- Poole, A. L. and D. Cairns (1940). Botanical aspects of ragwort (Senecio jacobaea L.) control, &c. Wellington, N.Z.,
- Porter, W. B. (1969). The construction of an energy budget for the Cinnabar moth, *Callimorpha jacobaeae* L., and the use of this moth in the biological control of ragwort, *Senecio jacobaeae* L, Durham.
- Puliafico, K. P. (2003). Molecular taxonomy, bionomics and host specificity of *Longitarsus jacobaeae* (Waterhouse)(Coleoptera: Chrysomelidae): the Swiss population revisited. Entomology. Bozeman, Montana, Montana State University.
- Radcliffe, J. E. (1969). "Ragwort control." New Zealand journal of agriculture **119**(1): 80-83.
- Richards, M. C., G. Swift, et al. (1983). "Evaluation of 3,6-Dichloropicolinic Acid, Triclopyr, 2,4-D Ester and MCPA, Alone and in Mixtures, for Senecio-Jacobaea Control in Grassland." Annals of Applied Biology **102 Supplement**: 104-105.
- Schmidl, L. (1964). "Aerial spraying of ragwort in Victoria." Journal of Agriculture, Victoria **62**: 445-450.
- Schmidl, L. (1972). "Biology and control of ragwort, *Senecio jacobaea* L., in Victoria, Australia." Weed research **12**(1): 37-45.
- Schmidl, L. (1972). "Studies on the control of ragwort, *Senecio jacobaea* L., with the cinnabar moth, *Callimorpha jacobaeae* (L.) (Arctiidae: Lepidoptera), in Victoria." Weed research **12**(1): 46-57.
- Schmidl, L. (1980). "Ragwort, *Senecio jacobaea*, in Victoria and renewed attempts to establish the Cinnabar moth, *Tyria jacobaea*, for its control Australia." Proceedings of the Fifth International Symposium on Biological Control of Weeds **1981**: 603-607.
- Shiban, A. (1976). Effects of herbicides on ragwort, Aberdeen.
- Shute, S. L. (1975). "*Longitarsus jacobaeae* Waterhouse (Col., Chrysomelidae) identity and distribution." Entomologist's Monthly Magazine **111**: 33-39.
- Simpson, N. A., D. Agricultural, et al. (1993). "A summary review of information on the autecology and control of six grassland weed species." 165 + appendices.
- Stimac, J. L. and D. L. Isaacson (1976). Cinnabar Moth as a biological control of tansy ragwort: comparison of population dynamics in England and Oregon. IV International symposium on biological control of weeds, Gainesville, Florida, USA.
- Syrett, P. (1983). "Biological control of ragwort in New Zealand: a review." Australian weeds **2**(3): 96-101.
- Syrett, P. (1985). "Host Specificity of the Ragwort Flea Beetle *Longitarsus-jacobaeae* (Waterhouse) (Coleoptera, Chrysomelidae)." New Zealand Journal of Zoology **12**(3): 335-340.
- Syrett, P. (1986). "Preliminary observations on the ragwort flea beetle in New Zealand." Proceedings New Zealand Weed and Pest Control Conference. July **39**: 110-113.
- Syrett, P. (1989). *Senecio jacobaea* L., ragwort (Asteraceae). In the series analytic: A review of biological control of invertebrate pests and weeds

- in New Zealand 1874 to 1987 / edited by P.J. Cameron, R.L. Hill, J. Bain and W.P. Thomas. Tech Commun Commonw Inst Biol Control **10**: 361-366.
- Syrett, P., J. M. Grindell, et al. (1991). Distribution and Establishment of 2 Biological-Control Agents for Ragwort in New-Zealand. Proceedings of the Forty-Fourth New Zealand Weed and Pest Control Conference. Rotorua, NEW ZEALAND PLANT PROTECTION SOC: 292-295.
- Syrett, P., S. M. Scheele, et al. (1984). "Renewed activities in biological control of ragwort." Proceedings New Zealand Weed and Pest Control Conference: 37-41.
- Taylor, R. L. (1973). Control of ragwort. Proc New Zealand Weed Pest Control Society.
- Terauds, A. and J. E. Ireson (1980). "The ragwort flea beetle." Journal of agriculture, Tasmania **51**(3): 81-84.
- Terauds, A. and J. E. Ireson (1981). "Biological control of ragwort one step closer." Journal of agriculture, Tasmania **52**(2): 30-32.
- Thompson, A. (1974). Herbicide effects on ragwort and pasture. Proceedings of the 27th New Zealand Weed and Pest Control Conference.
- Thompson, A. (1977). Herbicides for the spot treatment of ragwort in pasture. Proceedings of the 30th New Zealand Weed and Pest Control Conference.
- Thompson, A. (1980). Ragwort population and control studies. Proceedings of the 33rd New Zealand Weed and Pest Control Conference.
- Thompson, A. (1983). Pastrure weed control by rope wick applicator. Proc. 36th New Zealand Weed and Pest Control Conference.
- Thompson, A. and A. Saunders (1984). "A comparison of 2,4-D and MCPA, alone and in combination, for the control of ragwort." Proceedings New Zealand Weed and Pest Control Conference: 33-36.
- Thompson, A. and A. E. Saunders (1986). "The effect of fertiliser on ragwort in pasture." Proceedings New Zealand Weed and Pest Control Conference. July **39**: 175-178.
- Thompson, F. B. (1938). "Chemical control of ragwort." New Zealand journal of agriculture **57**: 315-317.
- Thompson, L. S. (1975). "Tansy ragwort control aided by the establishment of the cinnabar moth in Prince Edward Islands." Forage Notes **20**(1): 33-34.
- United States. Forest Service. Talley Lake Ranger, D. (1997). Final environmental impact statement : tansy ragwort control project. Whitefish, MT?, U.S. Dept. of Agriculture Forest Service Flathead National Forest Tally Lake Ranger District.
- United States. Forest Service. Talley Lake Ranger, D. (1997). Record of decision : tansy ragwort control project. Whitefish, MT?, U.S. Dept. of Agriculture Forest Service Flathead National Forest Tally Lake Ranger District.
- van der Meijden, E. (1976). Interactions between the cinnabar moth and tansy ragwort. IV International symposium on biological control of weeds, Gainesville, Florida, USA.
- van der Meijden, E. (1979). "Herbivore exploitation of a fugitive plant species: local survival and extinction of the Cinnabar moth and ragwort in a heterogeneous environment." Oecologia **42**(3): 307-323.

- van der Meijden, E., N. J. de Boer, et al. (2000). "Pattern of storage and regrowth in ragwort." Evolutionary Ecology **14**(4-6): 439-455.
- van der Meijden, E., R. M. Nisbet, et al. (1998). The dynamics of a herbivore-plant interaction, the cinnabar moth and ragwort. Insect Populations in Theory and in Practice. Dordrecht, KLUWER ACADEMIC PUBL: 291-308.
- van der Meijden, E. and R. E. van der Waals-Kooi (1979). "The Population Ecology of *Senecio Jacobaea* in a Sand Dune System: I. Reproductive Strategy and the Biennial Habit." The Journal of Ecology **67**(1): 131-153.
- Vrieling, K. and C. A. M. Vanwijk (1994). "Estimating Costs and Benefits of the Pyrrolizidine Alkaloids of *Senecio-Jacobaea* under Natural Conditions." Oikos **70**(3): 449-454.
- Walker, M. and T. H. Jones (2001). "Relative roles of top-down and bottom-up forces in terrestrial tritrophic plant-insect herbivore-natural enemy systems." Oikos **93**(2): 177-187.
- Wapshere, A. J. (1983). "Discovery and Testing of a Climatically Adapted Strain of *Longitarsus-Jacobaeae* Col, Chrysomelidae for Australia." Entomophaga **28**(1): 27-32.
- Ward, R. K. (1953). Chemical control of ragwort. Proceedings of 6th New Zealand Weed Control Conference.
- Wardle, D. A., K. S. Nicholson, et al. (1995). "Ecological effects of the invasive weed species *Senecio jacobaea* L. (ragwort) in a New Zealand pasture." Agriculture, Ecosystems & Environment **56**(1): 19-28.
- Warren, J., A. Christal, et al. (2002). "Effects of sowing and management on vegetation succession during grassland habitat restoration." Agriculture, Ecosystems & Environment **93**(1-3): 393-402.
- Watt, T. A. (1984). "The effect of propyzamide and fertiliser on the establishment of ragwort in grassland." Aspects of applied biology **5**: 109-116.
- Watt, T. A. (1987). "The biology and toxicity of ragwort (*Senecio jacobaea* L.) and its herbicidal and biological control." Herbage Abstracts **57**: 1-16.
- Whitson, T. D., B. Hawkes, et al. (1986). "Effect of herbicide treatments on tansy ragwort control." Research progress report Western Society of Weed Science **1986**: 53-54.
- Wilcox, A. and M. J. Crawley (1988). "The Effects of Host Plant Defoliation and Fertilizer Application on Larval Growth and Oviposition Behavior in Cinnabar Moth." Oecologia **76**(2): 283-287.
- Wilkinson, A. T. S. (1965). Release of cinnabar moth, *Hypocrita jacobaeae* (L.)(Lepidoptera:Arctiidae) on tansy ragwort in British Columbia. Proceedings of the Entomological Society of British Columbia.
- Wilkinson, A. T. S., P. Harris, et al. (1970). "Control of stinking willie with the cinnabar moth." Canada Agr **15**(1): 9-11.
- Williams, P. R. and R. J. Cooke (1993). "Elmley clopyralid trial." 13.
- Willis, A. J. (1963). "Braunton Burrows: The Effects on the Vegetation of the Addition of Mineral Nutrients to the Dune Soils." The Journal of Ecology **51**(2): 353-374.
- Windig, J. J. (1991). "Life-Cycle and Abundance of *Longitarsus-Jacobaeae* Col, Chrysomelidae , Biocontrol Agent of *Senecio-Jacobaea*." Entomophaga **36**(4): 605-618.

- Windig, J. J. (1993). "Intensity of Longitarsus-Jacobaeae Herbivory and Mortality of Senecio-Jacobaea." Journal of Applied Ecology **30**(1): 179-186.
- Woo, I., T. Drlik, et al. (2001). "Integrated management of tansy ragwort." IPM practitioner : the newsletter of integrated pest management **23**(4): 1-8.
- Woodcock, J. W. (1936). "Control of ragwort with "Atlacide" as compared with sodium chlorate." New Zealand journal of agriculture **53**: 65.
- Zhang, Z. Q. and P. B. McEvoy (1995). "Responses of Ragwort Flea Beetle Longitarsus-Jacobaeae (Coleoptera, Chrysomelidae) to Signals from Host Plants." Bulletin of Entomological Research **85**(3): 437-444.
- Zhang, Z. Q. and P. B. McEvoy (1996). "Factors affecting the response of Longitarsus jacobaeae (Coleoptera: Chrysomelidae) to upwind plant odours." Bulletin of Entomological Research **86**(3): 307-313.